L Number	Hits	Search Text	DB	Time stamp
1	338	concept$2 NEAR2 (list! OR lists!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:05
2	7258	linked! NEAR2 (list! OR lists!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:07
3	891	(linked! NEAR2 (list! OR lists!)) SAME (tree$2 OR hierarch$5)	USPAT; US-PGPUB; EPO; JPO; . DERWENT; IBM_TDB	2003/03/13 18:14
4	5	(concept$2 NEAR2 (list! OR lists!)) AND ((linked! NEAR2 (list! OR lists!)) SAME (tree$2 OR hierarch$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:06
5	12776	(linked! NEAR2 (list! OR lists!)) SAEM schema!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:06
6	29	(linked! NEAR2 (list! OR lists!)) SAME schema!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:07
7	22	((linked! NEAR2 (list! OR lists!)) SAME (tree$2 OR hierarch$5)) AND ((linked! NEAR2 (list! OR lists!)) SAME schema!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:07
8	8431	(((key! OR attribute!) ADJ2 (value! OR values!)) OR linked!) NEAR5 (list! OR lists!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:13
9	13	((((key! OR attribute!) ADJ2 (value! OR values!)) OR linked!) NEAR5 (list! OR lists!)) SAME (tree$2 OR hierarch$5) SAME concept$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:11
10	10048	(((key! OR attribute!) ADJ2 (value! OR values!)) OR linked! OR hierarch$5) NEAR5 (list! OR lists!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13.18:14
11	212	container$2 NEAR2 hierarch$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:18
12	64	((((key! OR attribute!) ADJ2 (value! OR values!)) OR linked! OR hierarch$5) NEAR5 (list! OR lists!)) AND (container$2 NEAR2 hierarch$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:15
13	1967	hierarch$5 ADJ2 (container$2 OR object$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:23
14	265	((((key! OR attribute!) ADJ2 (value! OR values!)) OR linked!) NEAR5 (list! OR lists!)) AND (hierarch$5 ADJ2 (container$2 OR object$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:20

15	86	(((((key! OR attribute!) ADJ2 (value! OR values!)) OR linked!) NEAR5 (list! OR lists!)) AND (hierarch$5 ADJ2 (container$2 OR object$2))) AND 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:20
16	3	(((((key! OR attribute!) ADJ2 (value! OR values!)) OR linked!) NEAR5 (list! OR lists!)) AND (hierarch$5 ADJ2 (container$2 OR object$2))) AND 707/2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:22
17	15453	container$2 NEAR2 object$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:22
18	164	((((key! OR attribute!) ADJ2 (value! OR values!)) OR linked!) NEAR5 (list! OR lists!)) AND (container$2 NEAR2 object$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:22
19	4	(((((key! OR attribute!) ADJ2 (value! OR values!)) OR linked!) NEAR5 (list! OR lists!)) AND (container$2 NEAR2 object$2)) AND 707/2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:24
20	5	(hierarch$5 ADJ2 (container$2 OR object$2)) SAME (creat$5 NEAR2 list$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:24
21	241	(hierarch$5 ADJ2 (container$2 OR object$2)) AND (creat$5 NEAR2 list$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:24
22	136	(hierarch$5 ADJ2 (container$2 OR object$2)) AND ((((key! OR attribute!) ADJ2 (value! OR values!)) OR linked! OR hierarch$5) NEAR5 (list! OR lists!)) AND (creat$5 NEAR2 list$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:24
23	37	((hierarch$5 ADJ2 (container$2 OR object$2)) AND ((((key! OR attribute!) ADJ2 (value! OR values!)) OR linked! OR hierarch$5) NEAR5 (list! OR lists!)) AND (creat$5 NEAR2 list$2)) AND 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:25

L Number	Hits	Search Text	DB	Time stamp
1	262	(relational adj database) and object and container and(property attribute) and value$2 and range$2 and hierarch$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:45
2	135	((relational adj database) and object and container and(property attribute) and value$2 and range$2 and hierarch$4) and color	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:44
3	4	(((relational adj database) and object and container and(property attribute) and value$2 and range$2 and hierarch$4) and color) and "conceptual information"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:44
4	0	(relational adj database) and ((propert$4 near3 attribute near3 value) same range$2 same color)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:48
5	96	(relational adj database) and ((propert$4 attribute value) same range$2 same color)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:48
6	11	((relational adj database) and object and container and(property attribute) and value$2 and range$2 and hierarch$4) and ((relational adj database) and ((propert$4 attribute value) same range$2 same color))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:48
7	11	(((relational adj database) and object and container and(property attribute) and value$2 and range$2 and hierarch$4) and color) and (((relational adj database) and object and container and(property attribute) and value$2 and range$2 and hierarch$4) and ((relational adj database) and ((propert$4 attribute value) same range$2 same color)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:49
8	6	"hierarchical data container" and "hierarchical data list"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:50
9	3	(((((relational adj database) and object and container and(property attribute) and value$2 and range$2 and hierarch$4) and color) and (((relational adj database) and object and container and(property attribute) and value$2 and range$2 and hierarch$4) and ((relational adj database) and ((propert$4 attribute value) same range$2 same color)))) and ("hierarchical data container" and "hierarchical data list")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:55
10	95	"conceptual information" or "conceptual near2 information"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:56
11	0	("conceptual information" or "conceptual near2 information") and (hierach$4 same container)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:57
12	0	("conceptual information" or "conceptual near2 information") and (hierach$4 near3 container)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:58

(handwritten: L AVL a link attribute value list (Pair))

13	0	("conceptual information" or "conceptual near2 information") and (hierach$4 same data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:58
14	0	("conceptual information" or "conceptual near2 information") and (hierach$4 near5 object$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:59
15	50	("conceptual information" or "conceptual near2 information") and hierarch$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:59
16	36	(("conceptual information" or "conceptual near2 information") and hierarch$4) and object$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:00
17	9	((("conceptual information" or "conceptual near2 information") and hierarch$4) and object$2) and(concept$1 near1 object$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:01
18	1	(((("conceptual information" or "conceptual near2 information") and hierarch$4) and object$2) and(concept$1 near1 object$1)) and (color same red green blue or rgb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:05
19	583	((three near1 dimensional or 3-D or 3D) adj1(color near2 space))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:07
20	0	((((("conceptual information" or "conceptual near2 information") and hierarch$4) and object$2) and(concept$1 near1 object$1)) and (color same red green blue or rgb)) and (((three near1 dimensional or 3-D or 3D) adj1(color near2 space)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:09
22	0	(((three near1 dimensional or 3-D or 3D) adj1(color near2 space))) and ((((("conceptual information" or "conceptual near2 information") and hierarch$4) and object$2) and(concept$1 near1 object$1)) and color$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:09
21	2	(((("conceptual information" or "conceptual near2 information") and hierarch$4) and object$2) and(concept$1 near1 object$1)) and color$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:14
23	2	6101500.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:14
24	9	6101500.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:15
25	1	6101500.pn. and color	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:15

26	1	6101500.pn. and concept	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:16
27	5	6101500.uref. and(hierarchical container)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:16
28	3	(6101500.uref. and(hierarchical container)) and (data same list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:17